#### Hyphenated Techniques for Determining pH Dependent Pore-Scale Uranium (VI) Speciation: FFF-ICP-MS

Pls

James F. Ranville and Bruce D. Honeyman Department of Chemistry and Geochemistry

&

Division of Environmental Science and Engineering
Colorado School of Mines
Golden, CO 80401

Graduate Student Investigator Emily K. Lesher



Presented at DOE-ERSP PI Meeting April 9, 2008 Lansdowne,VA



### Talk Outline

- Introduction
  - –Project relevance
  - –Aqueous speciation
- Field Flow Fractionation
  - –Theory & instrumentation
  - Application for U characterization (previous work)
    - Laboratory bacteria U sorption
    - SREL soil leachate
    - Aquitard pore water
  - -Quantitative application for U speciation
    - Well-defined ligands
- •Future work

#### **INTRODUCTION: Project Relevance**

U.S. Department of Energy Office of Science

Office of Biological and Environmental Research Environmental Remediation Sciences Division

#### ENVIRONMENTAL: SCIENCES PI

Providing the scientifi

(S

 Develop ne monitoring to manage conta approaches fo chemical and natural enviro




Figure 1. DOE's remediation challenges occur in the field where highly interactive natural processes occur over a broad range of scales control the fate and transport of contaminants. The ERSD goal is to help provide the basis for development of innovative remediation measures and to support decision making critical to long-term site stewardship.

#### INTRODUCTION: Project Hypotheses


#### Geochemical

- Uranium solution speciation in groundwater will depend on solution composition and will respond to changes in composition
- Geochemical process such as sorption and biotransformation will be affected by U speciation

#### Analytical

- Hyphenated techniques that combine separation (field flow fractionation) and detection (ICP-MS) can provide a means of speciation measurement
- Developed techniques, which utilize small volume samples (micro liter), will allow examination of U solution phase speciation with high spatial resolution in heterogeneous systems

#### **INTRODUCTION:** Speciation



Solution
Speciation
Influences
Contaminant
Behavior

Complex formation with aqueous and surface ligands

Macromolecular, nanoparticulate, and colloidal ligands

Stanford Environmental Molecular Science Institute (EMSI)


Studying chemical and microbial interactions at environmental interfaces

# Field flow fractionation Theory & Instrumentation


FFF is a separation method that when combined (hyphenated) with ICP-MS will allow measurement of aqueous phase U(VI) speciation

Analogous to chromatography (no stationary phase)

#### Field flow fractionation - ICP-MS




# Flow FFF: Channel Configuration



- •Separates colloids (inorganic or organic solids from ~2 nm − 1μm size range)
- •Supra-micron particles can also be analyzed using alternate FI FFF modes (1-20 µm)

## High field FI FFF for separation of DOC





Separation of PSS molecular weight standards (Da)

High field: 3.0 ml/min Carrier flow: 1.0 ml/min

### Low field for nanoparticles

- •Low field: 0.9 ml/min
- Carrier flow:1.0 ml/min
- PSS standards (Duke)
- •20 μL injection
- FI detector





#### **Normal-Mode FFF Theory**

#### **Experimental Measurement**

#### Computing d from retention time

$$R = \frac{t^0}{t_R}$$
  $t^0$  = retention time for void volume  
  $t_r$  = retention time for sample component

FFF Theory

$$R = 6\lambda \left[ \coth\left(\frac{1}{2\lambda}\right) - 2\lambda \right] \qquad \lambda = \frac{l}{w} = \frac{D}{Uw} \qquad \text{U= field velocity}$$

$$w = \text{channel thick}$$

$$\lambda = \frac{l}{w} = \frac{D}{Uw}$$

D = diffusion coefficient w = channel thickness (0.25 mm)

Stokes-Einstein

$$\lambda = \frac{6kT}{d^3 \pi \Delta \rho(\omega^2 r_s) w}$$

Flow FFF

$$\lambda = \frac{DV^{0}}{V_{c}w^{2}} = \frac{kTV^{0}}{3\pi\eta V_{c}w^{2}d}$$


Vo = void volume

V<sub>c</sub>= volumetric cross-flow rate  $\eta$ = viscosity

# Field flow fractionation: Uranium characterization applications

# Laboratory Investigation of U(IV) Sorption to Bacteria

- Culture of Shewanella oneidensis (~10<sup>6</sup> cells/mL)
- pH 5 linear isotherm by FFF-ICP-MS




# Investigation of U Sorption to Bacteria

pH dependence of sorption




- •Proton competition is different for cells vs exopolymer
- •FFF can be useful in studies of mixtures




Jackson et al., Anal. Chem., 2005

# U and Ni porewater characterization at Savannah River Site, Aiken SC


- Examined filtered (0.2 μm) soil extracts (waterdispersible colloids) from SREL
- High levels of DOC suggest that metal-DOC binding might be important in Ni and U speciation
- Mildly acidic pH
- Interface FI-FFF on-line with ICP-MS for (multi-) elementspecific chromatograms



#### SP5 water extract:




#### <u>low field FI-FFF ICP-MS</u>



Jackson et al., ES&T, 2005

#### SP5 water extract:

High Field FI FFF ICP-MS



# SREL Study Summary


#### % U distribution

	U	SP1B1	SP2B1	SP5B1	TB6
SEC	Colloid	3.9	18.9	52.8	0.1
	Humic	29.4	26.8	22	21.8
FFF	Colloid	6.6	17.6	26.7	14.8
Low Field	Humic	38.4	20.3	17.3	30.5
High Field	Humic	22.6	9.1	9.6	12.4


- Environmental significance at SRS
  - 'dissolved' U may be partially non-available, associated with colloids and DOC
  - Soil/groundwater reactive transport models should include speciation

### Compare to: Clay-rich glacial till aquitard

- Located in western
   Canada
- 80 m thick
- Mildly alkaline
- High in carbonate
- High in DOC
- Well-instrumented with peizometers
- Natural U source




Ranville et al., J. Contam Hydrol, 2007



Depth = 4.5mU =  $430 \mu g/L$ DOC = 77 mg/L

Depth = 11.9 m U = 38 μg/L DOC = 19 mg/L



# Comparison of speciation model and FFF results

Water composition (mM)							-		
Ca	Mg	Na	K	Cl	SO <sub>4</sub>	CO <sub>3</sub>	U	DOC (mg/l)	рН
10	150	275	1.5	1.0	300	4.8	1.48E-3	77	$\setminus$ 7.6 /
Uranyl species percentage distribution									
$Ca_2UO_2(CO_3)_3^0$		CaUC	$O_2(CO_3)_3^{=}$	UO	$O_2(CO_3)_2^{=}$	UO	$_{2}(\text{CO}_{3})_{3}^{4}$	-FA <sub>2</sub> UO <sub>2</sub>	
66.2 2.2			0.8	28.9		1.9			
		•		<u> </u>			_	-	

#### FFF results

- DOC was low in MW
- 50% recovery of DOC
- % Organic bound U measured = 0.62 %
- Assuming lost DOC contained U
  - 0.62 % x 2 = 1.24 %

# Field flow fractionation Quantitative applications

# Why develop measurement methods when we have models?

- Are the models accurate for complex water compositions?
  - Compare predictions to measurements
- What about complex ligands for which thermodynamic data are lacking?
  - Uncharacterized NOM
  - Natural nanoparticles
- Separation-based approach
  - Differentiation of "free" vs complexed
  - Mixtures
    - Competitive reactions (e.g. cells and mineral particles)
- Development begins with well-characterized ligands

# U(VI) solution complexes can be predicted by computer modeling


- For example-Visual MINTEQ (Gustafsson, 2006)
- Uses thermodynamic data on uranium association with

Ligand	Dissolved	Colloidal		
Inorganic	-OH, -CO <sub>3</sub> , etc.	-FeOx surface sites		
Organic	-acetate, -citrate, etc.	-fulvic acid, etc.		


 Database likely "good" for complexes with dissolved inorganic and simple organic ligands (subject of new ERSP project: K. Hatfield PI)

# U(VI) solution complexes predicted by computer modeling: DOC vs carbonate

 $U=10^{-6} M$ , DOC = 1 mg C/L




 $Ca^{2+} = 10^{-3} M$ , atmospheric  $CO_2$ ,



Increase organic complexes

 $U=10^{-6} \text{ M}, \ \underline{DOC} = 10 \text{ mg C/L}$ 




 $Ca^{2+} = 10^{-3} M$ , atmospheric  $CO_2$ ,


Decrease organic complexes

 $Ca^{2+} = 2 \times 10^{-3} M$ , 10 X atmospheric  $CO_2$ ,

# U(VI) solution complexes predicted by computer modeling: Soil pH variations



### Well-characterized ligand: Nanoparticulate Hematite



TD 11	$\alpha$	C C	
Lable	3	Surface	reactions

Reaction	$ \log K \\ (I=0) $
$\equiv$ FeOH + H <sup>+</sup> = $\equiv$ FeOH <sub>2</sub> <sup>+</sup>	8.25 <sup>a</sup> *
$\equiv \text{FeOH} = \equiv \text{FeO}^- + \text{H}^+$	$-10.25^{a*}$
$= FeOH + Na^{+} = = FeO^{-} - Na^{+} + H^{+}$	$-8.46^{a*}$
$\equiv$ FeOH + H <sup>+</sup> + ClO <sub>4</sub> <sup>-</sup> = $\equiv$ FeOH <sub>2</sub> <sup>+</sup> -ClO <sub>4</sub> <sup>-</sup> $\equiv$ FeOH + H <sub>2</sub> CO <sub>3</sub> = $\equiv$ FeHCO <sub>3</sub> + H <sub>2</sub> O	10.18 <sup>a</sup> * 6.00 <sup>b</sup> *
$\equiv \text{FeOH} + \text{H}_2\text{CO}_3 = \equiv \text{FeCO}_3^- + \text{H}_2\text{O}$ $\equiv \text{FeOH} + \text{H}_2\text{CO}_3 = \equiv \text{FeCO}_3^- + \text{H}^+ + \text{H}_2\text{O}$	$-3.30^{b*}$
$\equiv \operatorname{Fe}_{s}(\operatorname{OH})_{2} + \operatorname{UO}_{2}^{2+} = \equiv \operatorname{Fe}_{s}\operatorname{O}_{2}\operatorname{UO}_{2} + 2\operatorname{H}^{+}$	$-0.087^{\circ}$
$\equiv \operatorname{Fe}_{\mathbf{w}}(\operatorname{OH})_2 + \operatorname{UO}_2^{2+} = \equiv \operatorname{Fe}_{\mathbf{w}} \operatorname{O}_2 \operatorname{UO}_2 + 2\operatorname{H}^+$	$-3.43^{\circ}$
$\equiv \text{Fe}_{\text{w}}(\text{OH})_2 + \text{UO}_2^2 + \text{H}_2\text{CO}_3 = \equiv \text{Fe}_{\text{w}}\text{O}_2\text{UO}_2\text{CO}_3^{2-} + 4\text{H}^+$	-12.14°*

All SCM simulations used  $C_1 = 1.4~\mathrm{F/m^2}$  and  $C_2 = 0.2~\mathrm{F/m^2}$ , after Katz and Hayes, 1995.

- <sup>a</sup> Determined from FITEQL simulation of potentiometric titration data (Murphy et al., 1999).
- <sup>b</sup> Determined by modeling pH<sub>iep</sub> from electrophoretic mobility experiments (Fig. 5a).

 $1\mu m$ 


- <sup>c</sup> From simulation of U(VI) sorption data (Figs. 1 and 2).
- \* Assumed to be the same for weak and strong site types.

Well-characterized ligand:

Nanoparticulate Hematite


Existing thermodynamic surface complexation sufficient to allow predictions

What about natural nanoparticles?




Experimental results and FITEQL model simulations of fraction uranium sorbed onto 0.09 g/l, 0.9 g/l and 9.0 g/l hematite at variable pH. Ionic strength = 0.1,  $U(VI)_T = 10^{-6} \, \text{M}$  and atmospheric concentrations of  $CO_2$ . Lenhart and Honeyman (1999).


#### **Batch Sorption Experiments**




Phase separation using filtration Volume for ICP-MS ~10 ml

#### Sorption Experiment:FI FFF-ICP-MS






20 uL injected into FI FFF-ICP-MS



- Smaller [Fe]/[U] ratio in void peak. Indicates some dissolved U.
- Increasing [Fe]/[U] ratio over peak. Function of sorbed [U] being surface area dependant, [Fe] being volume dependant



Void peak ratio close to peak ratio, indicates
U present in hematite that was not fully
injected/equilibrated

### Comparison of sorption results: FFF vs batch

			Filtered:	aqueous	
	FF	F	analysis		
рН	% Sorbed	Log Kd	% Sorbed	Log Kd	
3.4	4.5	1.7	5.1	1.8	
4.2	58.4	3.2	29.2	2.7	
4.2	50.4	3.1	29.2	2.7	
5.3	96.1	4.4	99.1	5.1	
6.1	100	5.3	99.6	5.4	

### **Future Work**

- Method Validation
  - Complete Hematite work
  - Examine IHSS HA
- Up-scaled Lab Experiments
  - Construct small tank with layered heterogeneous materials
    - Carbonate, organic matter
  - •Sample at high spatial resolution, utilizing the small sample volume requirements of FFF-ICP-MS to examine U speciation
- •Field-scale
  - Examine U speciation at field sites (part of new ERSP project)

#### **Funding**

### Acknowledgements



DOE ERSP Grant: ER64419 Edna Bailey Sussman Fellowship



#### Student Investigators



Emily Lesher: Poster S4: Optimization of Flow-Field Flow Fractionation-Inductively Coupled Plasma Mass Spectrometry for U(VI) Characterization



#### Ph.D. Opportunities

The Colorado S opportunities fo of National Nee a Ph.D. in areas situ recovery sy participate in co

### Contact: Linda Figueroa Lfiguero@mines.edu

ces program has funding aduate Assistantships in Areas portunities to students pursuing post-stabilization of uranium inmobility. Students will also tner.


#### Benefits:

- Annual stipend of up to \$30,000
- Payment of tuition and fees
- Conference travel allowance

This program is open only to U.S. citizens and permanent resident aliens studying at a U.S. university.

This is an equal opportunity program and is open to all qualified persons without regard to race, sex, creed, age, physical disability or national origin.

Applications are due by February 15, 2008.






Microbial uranium immobilization

Graduate Programs: Chemistry & Geochemistry Environmental Science & Engineering

For More Information Contact: Dr. Linda Figueroa ESNR Program Coordinator Environmental Sci. and Engin. Division Colorado School of Mines Golden. CO 80401

Phone: 303.273.3491 Email: ffguero@mines.edu

http://www.mines.edu/fs\_home/lfiguero/ESNR.html



Tank-scale studies of uranium transport



Field Sampling Campaign in Naturita, CO (former uranium mill site)

Updated 12/21/07